








## What's in the Box




# How to Use the IMPACT 100

**EPJS** 



#### Accept/end a call



#### Redialing



May vary depending on product variant

# Additional benefits & features



### Optimized for communication and multimedia

With automatic sound-enhancement profiles



Easy to store and transport
With protective carry pouch



#### Optimal speech transmission

Bendable boom arm ensures optimal microphone position



#### Switchable Noise at Work limiter

In compliance with EU Noise at Work Directive (Directive 2003/10/EC)



#### Protects your hearing

From acoustic shock with EPOS ActiveGard® technology

## Product data

1/3

General		
Wearing style	IMPACT SC 30 / SC 60: Headband IMPACT SC 45 USB MS / SC 75 USB MS: Headband - single and double-sided variants	
Headset weight	IMPACT SC 30 USB ML / SC 60 USB ML: Single-sided: 42 g / 1.48 oz Double-sided: 66 g / 2.33 oz IMPACT SC 45 USB MS / SC 75 USB MS: Single-sided: 102 g / 3.6 oz Double-sided: 130 g / 4.59 oz	
Connectivity	Softphone/PC via USB	
Warranty	2 years	
Audio		
Speaker frequency response	IMPACT SC 30 / SC 60: 50 - 10,000 Hz IMPACT SC 45 USB MS / SC 75 USB MS: 60 - 16,000 Hz (Wideband)	
Microphone type	Noise-cancelling microphone	
Microphone frequency response	IMPACT SC 30 / SC 60: 150 - 6,800 Hz IMPACT SC 45 USB MS / SC 75 USB MS: 150 - 6,800 Hz (Wideband)	

## Product data

2/3

Products variants	What's in the box		
IMPACT SC 30 USB ML / SC 60 USB ML	Headset, quick guide, safety guide		
IMPACT SC 45 USB MS / SC 75 USB MS:	Headset with 3.5 mm jack, foam ear pad/s and leatherette cover/s, detachable USB cable with in-line call control, carry pouch, quick guide, safety guide		
Software			
EPOS devices can be managed with following Software solutions:			
EPOS Connect	Conduct firmware updates and configure headsets for personal audio preferences. EPOS Connect works for Windows, Mac® and VDI/Thin client environments: eposaudio.com/software-epos-connect		
EPOS Manager	Manage, update and configure EPOS audio devices from any location - for both cloud and on-premises solutions: eposaudio.com/software-epos-manager		

## Product data

3/3

Product (EMEA)	Connects to	Certifications	EAN code	UPC code
IMPACT SC 30 USB ML Art. no. 1000550	PC/Softphone via USB	Optimized for UC and certified for Microsoft Teams*, Google Meet, Avaya, Alcatel-Lucent Enterprise and Enreach	57 14708 00351 9	8 40064 40351 1
IMPACT SC 60 USB ML Art. no. 1000551	PC/Softphone via USB	Optimized for UC and certified for Microsoft Teams*, Google Meet, Avaya, Alcatel-Lucent Enterprise and Enreach	57 14708 00352 6	8 40064 40352 8
IMPACT SC 75 USB MS EUL Art. no. 1000640	PC/Softphone via USB	Optimized for UC and certified for Microsoft Teams*, Google Meet, Avaya, Alcatel-Lucent Enterprise and Enreach	57 14708 00441 7	8 40064 40441 9
Product (APAC)	Connects to	Certifications	EAN code	UPC code
MPACT SC 30 Art. no. 1000667	Deskphone	Certified for Google Meet	57 14708 00468 4	8 40064 40468 6
IMPACT SC 60 Art. no. 1000668	Deskphone	Certified for Google Meet	57 147080 0469 1	8 40064 40469 3
IMPACT SC 30 USB ML Art. no. 1000550	PC/Softphone via USB	Optimized for UC and certified for Microsoft Teams*, Google Meet, Avaya, Alcatel-Lucent Enterprise and Enreach	57 14708 00351 9	8 40064 403511
IMPACT SC 60 USB ML Art. no. 1000551	PC/Softphone via USB	Optimized for UC and certified for Microsoft Teams*, Google Meet, Avaya,	57 14708 00352 6	8 40064 40352 8

Alcatel-Lucent Enterprise and Enreach

<sup>\*</sup> The Microsoft Teams certified products in the IMPACT 100 Series require installation of EPOS Connect – download the software from our website: eposaudio.com/epos-connect

## Spare parts

1/1

Product	Art. no.	Description	EAN code	UPC code
USB-A to USB-C	1000832	Adapter Cable USB-A To USB-C	57 1470800633 6	8 4006440633 8
HZP 46 Black	1000803	Large, leatherette ear pad covers and foam ear pads in black. Suitable for SC 40/70 Series. Includes 2 pieces of ear pad covers and 2 pieces of foam ear pads.	57 1470800602 2	8 4006440602 4

## Appendix

1/1

#### Additional product data

Color	Black	
EPOS Voice™ Technology	For a clear and natural listening experience	
EPOS ActiveGard® technology	Protects users against acoustic injury caused by sudden sound burst on the line	
EU Noise at Work Limiter**	Enhanced audio protection preventing listening fatigue, average 85 dB over a work day	
In-line call control	Answer/end call, volume up/down, microphone mute and redial last outgoing call	
Sound pressure	IMPACT SC 30 / SC 60: Limited by EPOS ActiveGard®: SC 30 - Max 117 dB SC 60 - Max 113 dB IMPACT SC 30 USB ML / SC 60 USB ML: Max 113 dB limited by EPOS ActiveGard® on USB interface Max 118 dB limited by EPOS ActiveGard® on 3.5 mm interface	
Speaker type	IMPACT SC 30 / SC 60:  Neodymium magnet speaker  IMPACT SC 45 USB MS / SC 75 USB MS:  High-quality neodymium magnet speaker	

<sup>\*\*</sup> Noise at Work: The EU's "Noise at Work Directive" (2003/10/EC) sets limits for two types of noise in the workplace: Acoustic burst and Sustained Noise.