



# QL-700 Professional Label Printer

The versatile QL-700 offers easy to use software and integration with Microsoft Office Applications, for all labelling requirements.

- Plug and Print (no software installation required\*)
- Print up to 93 labels/minute and up to 300 x 600 dpi
- Built-in automatic label cutter
- Includes 2 rolls of labels, software and cables



### **Plug and Print**

Print labels without installing software\*. There are no virus concerns and is easily shared with others.



### Easy to change rolls

Each roll is supplied on a spool that simply slots into the correct position in the QL-700 every time.



### **USB** Interface

Quick and easy to set up and use. The USB cable is supplied with the QL-700 as standard.





A DANGER!

Create labels from 12.7mm up to 1 metre in length, using the built-in automatic cutter.



# Up to 300 x 600 DPI print resolution

Produce easy-to-read labels with crisp text and high quality graphics.



### Up to 93 labels/minute\*\*

If you are printing one or several labels at a time, the QL-700 will have them ready in just a few seconds.



Achieve a more professional finish and improve office efficiency through the use of labelling.

Envelopes, packages and parcels can be professionally addressed using one of the many sizes of label available, and can even include your business logo if required. Within your organisation, ensure important information can be located quickly through the clear identification of files, folders, CD and DVD discs.



- \* Using the built-in P-touch Editor Lite on Microsoft Windows PC's.

  Mac users can use the supplied CD to install P-touch Editor 5.0 software and printer drivers (available in English only)
- \*\* 93 labels/minute print speed does not apply on Editor Lite mode

## Simply plug-in and start labelling immediately

The Brother QL-700 label printer offers an easy way to print professional looking labels for a wide range of uses throughout the workplace. We have made label printing easier than ever by incorporating "P-touch Editor Lite" label design software inside the QL-700. Windows users simply need to connect the USB cable, run the software from the pop-up message, then design and print your label. No software or drivers need to be installed.



### 1. Connect the USB cable

When connected to your PC, the QL-700 is identified as a USB flash drive and a new drive letter appears on your computer. This contains the label design software.

## 2. Run the built-in label design software

Double-click on the P-touch Editor Lite icon to launch the label design software. As this is built-in to the QL-700 it is always available on whichever PC you connect it to.

### 3. Design and print your label

Simply design your label by adding text, graphics and frames and then print. No software is installed to your PC during this process.

# Also includes professional label design software

The more powerful P-touch Editor software is supplied on CD-ROM, which is installed in the standard way. Offering integration with Microsoft Word, Excel and Outlook, you can print labels directly from these applications. Simply highlight the address, text or information you require, then click the "P-touch" icon in the toolbar to print your label immediately. You can include barcodes, graphics, frames and other information on your labels, whatever your requirements.



### Effortless label printing - for all applications

The QL-700 uses Brother DK label rolls. Supplied on a spool that incorporates a roll guide, this ensures that the label is always installed correctly, and recognises the size of label inserted. And you get none of the alignment problems associated with printing labels in a traditional printer.

So whether you are printing just one label, or several at a time, the Brother QL-700 ensures each label prints perfectly, time after time.

### **Technical Specifications**

#### Hardware Print Speed Print Resolution 150 mm/sec | 93 standard address labels/min 4: (power, P-touch Editor Lite, feed, cut) USB 2.0 Control panel buttons Interface Cutter Durable auto cutter Print Method Direct thermal Power supply Roll type Internal power supply DK rolls (DK die-cut labels / DK continuous length tape) Max. roll / print width Min. /Max. label length 62 mm / 59 mm 12.7 mm / 1 metre

### **Software (P-touch Editor 5)**

Font support / fonts supplied	All installed truetype fonts / 17
Font styles	11 styles: Normal, Bold, Italic, Outline, Shadow, Shadow Light,
,	Horizontal, Surround, Frame Out, Inverted Text, Underline
Number of frames	126
Image file formats support	BMP, JPG, JPEG, PNG, TIF, GIF, DIB, WMF, EMF, ICO
Screen capture	Yes
Multi line printing	Yes
Multi block printing	Yes
Vertical printing	Yes
Rotate printing	Yes
Number of copies	2 - 9999
Mirror printing	Yes
Sequential numbering	1 - 5000 / A - Z / a - z
Barcode protocols	CODE39, CODE128, UCC/EAN-128 (GS1-128), ITF(I-2/5),
	\CODABAR NW-7), UPC-A, UPC-E, EAN-13 (JAN13), EAN-8, ISBN-2
	(EAN-13 ddOn2), ISBN-5(EAN-13 AddOn5), POSTNET, Laser Bar
	Code, GS1 DataBar (RSS) (Omnidirectional, Truncated, Stacked),
	PDF417, QR Code, Micro QR code, Data Matrix, Maxicod
Database / file link support	csv, txt, mdb, xls, Microsoft SQL Server Database
Add-in support	Microsoft Word / Excel / Outlook (Office 2000/2003/2007/2010)
Automatic date and time printing	Yes
Languages	English / Danish / Dutch / French / German / Italian / Norwegian /
	Portuguese / Spanish / Swedish / Finnish / Czech / Polish / Hungarian
	/ Simplified Chinese / Russian / Turkish / Japanese

### P-touch Editor Lite

Font support / fonts supplied	All installed truetype fonts / 0
Font styles	4 styles: Normal, Bold, Italic, Underline
Number of frames	10
Image file formats support	BMP, JPG, JPEG, PNG, TIF, GIF, DIB, WMF, EMF, ICO
Screen capture	Yes
Multi line printing	Yes
Multi block printing	Yes
Vertical printing	Yes
Rotate printing	Yes
Number of copies	2 - 200
Mirror printing	Yes
Sequential numbering	1 - 200 / A - Z / a - z
Barcode protocols	No
Database / file link support	No
Add-in support	No
Automatic date and time printing	No
Languages	English / Danish / Dutch / French / German / Italian / Norwegian /
	Portuguese / Spanish / Swedish / Finnish / Czech / Polish /
	Hungarian / Simplified Chinese / Slovak / Slovene / Romanian /
	Croatian / Bulgarian / Russian / Turkish / Japanese /
	Traditional Chinese / Korean / Traditional Chinese / Korean / Thai /
	Vietnamese / Arabic

**System Requirements** 

Operating System	Windows XP / Windows Vista / Windows
	Mac OS X 10.4.11 - 10.7
Minimum CPU	As recommended by operating system
specification	Printing Technology
Hard Disk Free Space	100MB or more
Interface	USB 1.1 or later specification
Graphics	SVGA with high colour or better
Other	CD-ROM drive for installation

### **Included Items**

QL 700 label printer	
2 x starter rolls:	
- 29 mm x 90 mm standard address labels (100 labels)	
- 62 mm continuous length paper tape (8 metres)	
USB and power cables	
CD-ROM containing P-touch Editor 5.0, printer	
drivers and user guides	
Quick setup guide and warranty card	

### **Supplies**


Die-Cut Paper Standard Address label 29mm x 90mm x 400 labels
Die-Cut Paper Shipping / Name Badge label 62mm x 100mm x 300 labels
Die-Cut Paper File Folder label 17mm x 87mm x 300 labels
Die-Cut Paper Multi Purpose / Address label 17mm x 54mm x 400 labels
Die-Cut Film CD/DVD Film label Diameter 58mm x 100 labels
Die-Cut Paper Large Address label 38mm x 90mm x 400 labels
Die-Cut Paper Small Address label 29mm x 62mm x 800 labels
Die-Cut Paper 24mm Round label 24mm Diameter x 1000 labels
Die-Cut Paper 12mm Round label 12mm Diameter x 1200 labels
Die-Cut Paper Square label 23mm x 23mm x 1000 labels
Die-Cut Paper Large Multipurpose label 102mm x 51mm x 600 labels
Continuous Film Wide Continuous Length 62mm x 15.24m
Continuous Paper Wide Continuous Length 62mm x 30.48m
Continuous Paper Medium Continuous Length 29mm x 30.48m
Continuous Film Medium Continuous Length 29mm x 15.24m
Continuous Film Wide Continuous Length 62mm x 15.24m
Continuous Paper Narrow Continuous Length 12mm x 30.48m
Continuous Paper Extra-wide Continuous Length 102mm x 30.48m
Continuous Film Wide Continuous Length 62mm x 15.24m
Continuous Paper Wide Continuous Length Removable 62mm x 30.48mm
Continuous Thick Paper Continuous Length Removable 54mm x 30.48mm

### **Weights and Dimensions**

Dimensions Weight	128 mm(W) x 221 mm(D) x 153 mm(H) 1.12kg (excluding DK roll)

\*Using the built-in P-touch Editor Lite on Microsoft Windows PC's.

Mac users can use the supplied CD to install P-touch Editor 5.0 software and printer drivers (available in English only)





### **Brother International (Aust) Pty Ltd**

Level 3, Building A, 11 Talavera Road, Macquarie Park, NSW 2113
Tel: +61(2)9887 4344 Fax: +61(2)9888 9707
Website: www.brother.com.au
All spedications correct at time of printing, Brother is a registered trademark of Brother Industries Ltd.
Brand product names are registered trademarks or their respective companies.



www.brotnereartn.com